



Kam Kiu Aluminium Products Group Limited

Content



9 : / . 4 9

40> : 90>

> , 4, - 44D

0 44, 4 9

, 60 4 4 4 9

: / . > 74, 4 9>

□ 4/42 :9> . 4 9 7. :94> :8: 40 ,9> : , 4 9 40 8 :A08 09 9/ > 4 7

: / . 4 9 , >0

: / . 4 9 , ,. 4D

4>3: 470 ,>42 C >4 9 :140 1,.0 44342 0.44 9 ,.3442 :8: 40 , > : / . 4 9 ,74D :9 :7


0>0, .3 0A07 8 09

Introduction




Kam Kiu Aluminium Group (KAP) is a leading aluminium extruder with a range of applications from consumer electronics, automotive, aerospace, marine, renewable energy system and to architectural projects. With 30+ years of expertise through billet casting, extrusion, die design, surface treatments to precision machining, KAP is committed to provide one stop solution to the market.

To provide technological support in aluminium products development, KAP devotes to research and development with capabilities proven to enhanced profiles performance solution and strengthen



Milestones



Our Vision




0 0A0 D: 90 4 30 B : 7/ 3, A0 , 70, > : 90 : / . >

0 -0.: 8 0 " : 7/B 40 09 0 40

0 -0.: 8 0 , 09 0994 709 0 40



Core Values



Our Mission



Sustainability



Environmental Protection

: 0. : : 80 , 09: 5 > 08 D 3 , >0>
 9A4: 98 09 , 7 : 0. 4 9 3 , > , 7 92 , / 44 9 ,
 : 0. : : 3: 8 0 4: . : 8 8 48 09 : : , 9.0> : >
 0. , >0
 B0B00 -: 0 30 0
 B0B00 7A0 30 0
 B0B00 > , 0/ 30 0

This is our home... Taishan, China, Earth.

Recycling

0.D. 702 , 9/ 30 , >>: . 4 0/ > > , 4 , - 70 : / . 4 9 : 1
 : / . > 3 , > - 0.: 8 0 , 9 4 : , 9 4 > 0 1: 30 1 0
 " 0 , 0.: 9A4.0/ : / , D 3 , 090 2D0114 09.D , 9/
 0>: . 0.: 9>0 A42 : / . 4 9 8 0 3: / > : 8: 0
 90B 0.39: 7 2 4 > , 9/ : . 0 >>0>
 9402 30B 3: 7 A , 7 0 , //0/ . 3 , 4 9/0 : 90 : : 1
 08 -: / 4 >: B 4 3 1: 09A4: 98 09 , 7 : 0. 4 9

The aluminum products we produce every day will be the "Recycled aluminum."



Occupational Health and Safety (OHS)

30 0 4 3 , / D , 9D 3 4 2 8 : 0 4 : , 9 3 , 9 0 9 4 2 3 : 8 0 > , 10
 , 9/ 30 , 73D , 30 09/ : 1 , B : 6 4 2 / , D
 3 , 4 B 3 DB 0 , , 0.: 9A4.0/ 3 , 30 0 4 90A0 , 8 : 0 209
 . : 9.0 9 3 , 9 30 > , 10 D , 9/ 30 , 73 : 1: 08 7 D00>
 0. , 4 9 , D 8 0 , > 0> 0 2 7 D0A , 7 , 0/ 4 6 , >>0>>8 09 > , 9/
 : 4 0 > 40 30 , 73 , 9/ > , 10 D : 74D , 0 60D > 0 > 4 3 4 / 40. 4 9


As a result, we have succeeded in continuously reducing the number of accidents at work.

Social Responsibility

3 , > - 009 - , >0/ 4 30 7 . , 7.: 8 8 94D1: 8 : 0 3 , 9 D0 , >
 3: > , 9/ > : 1 08 7 D00 > 3 , A0 > , 0/ : B : 6 4 > 4.0D: 92
 4 9: : 9D , 7 . , 7 : / . 4 9 09 0 40
 4 , 7: , 110. 4 2 30 7 . , 7.: 8 8 94D , 9/ 30 3 , 40 >>
 : 1 3: > , 9/ > : 11 , 8 40 > , 3: 8 0 : B 9 , 9/ , - : , /
 4.: 8 8 4 0/ : : 8 : 4 2 30 > > , 4 , - 70 / 0A07 8 09
 : 17 . , 7.: 8 8 940 > , 9/ , . 40D , 44 , 4 2 4 , . 4 4 4 >> . 3 , >
 : A0 D , 70A 4 4 9 0/ . , 4 9 8 0 / 4 , 7 . , 0 , 9/ / 4 , > 0 0 7 0 1

We want to make "happiness" become the corporate culture of KAP.

Certification



, 74D , 9, 208 09
D> 08

, 74D , 9, 208 09
D> 08 1: : 8 : 40 , > , 9, 208 09 D> 08

9A4: 98 09

.. , 4 9, 7 0, 73, 9/
, 10 D , 9, 208 09 D> 08 >

7, >>44, 4 91: , 4 8 0 : / . >


: B, D □ 0 8, 9D
, 9.0 □ 3 4,

Certification




ISO/TS 22163:2017

Railway Quality Management System



SCS Recycled aluminum product certification

Distribution by Region



Products & Applications



Building & Construction

Industrial

Life Improvement

Industrial Profiles (85%)

Widely used in the following industries:
3C Electronics,
Auto Parts, Transportation,
Industrial Production,
Medical Equipment...

Architecture Profiles (15%)

Widely used in the following industries:
Curtain wall, Doors & Windows,
Construction Work
Home settings, Shower Enclosure...

Transportation

3C Electronics


Automotive



Building & Construction



: 8: 0 3, 9 DO, > 3, > - 009 : A4 42 343 < , 74D, 7 8 4 8 : 140> 1:
4 0 9, 4 9, 7D 09: B 90/ /: : , 9/ B 40/: B - , 9/> , 9/ : A4 42 . , 4 B, 77 : 140> , 9/
1, - 4, 0/ , 7 8 4 8 , 907 : 7, 9/8 , 6 - 4/ 42> 4 8, 5: . 440> , : 9/ 30 B: 7/




3C Electronics





KAP 3, > - 009 1: . > 42 : 9, 7 8 4 8 , 7 D , 9/ 0C > 4 9 : . 0 >> 42

9 30 B: 7/ > : 09 8: - 40 3: 90 - , 9/> 30, 74, 4 9: 13 4 3 > 092 3 > 0 4 > 1: 8: - 40

3: 90 30 8, 60 > 3, 0: 1 8: 0 3, 9



Automotive



C /0/ : / □ : 242

>342 , .60

8 0 B 43 , >3 : C

: 9 08 - 0

00 42
: 7 8 9

: : 1: □

9A0 0 1: □


, 0 D , D1: □

0, , .6>


- , 80 : 9 . 0> □ 3, >>4 40 08 - 0 > □ : /D ,



Transportation



Life Improvement




Industrial



Rod & Bar



Industrial Profiles



Standard Profiles



Assembly Technology Profiles



Production Base




Taishan City Kam Kiu Aluminium Extrusion Co., Ltd. (KAE)

Location: Taishan, Guangdong, China.

Establishment date: Year 1983

Area: 389,000sqm.

Number of employees: ~2500.



Production Base



Kam Kiu Light Metal Technology Co., Ltd. (KLT)

Location: Taishan, Guangdong, China.

Establishment date: Year 2018

Area: 166,500sqm.

Number of employees: ~800.






In-house Die shop





4 > , 110/ B 43 , : 10 >> 4 9, 7 0, 8 : 1 > 0. 4 7 4 > 4 : : 7, 9/ / 4 / 0 > 4 9
30 D , 0 0 9 2, 20/ 4 / 0 A 0 7 4 2 3 4 3 < , 7 4 D / 4 > B 4 3 / 0 > 4 9 , 9/ > 4 7, 4 9 > D > 0 8
: / . 4 9 : 1 / 4 > , 0. 3, , . 0 4 0 / - D 0. 4 4 9 > 0 9 2 3 , 9 /
, - , > 4 0 0 > 4 , 9. 0 3 0 > 0 , 0 : : 8 7 0 8 0 9 0 / - D 8 , . 3 4 4 2 . 0 9 0 >
A . 8 0 / 3 0, 0, 0 / : A 0 9 > . : 9 : 7 0 / 8 7 4, 8 : > 3 0 0 , 9 /
9 4 4 4 2 : A 0 9 > B 3 4 3 0 9 3, 9. 0 , . . D , 9 / 0 1 1 0. 4 0 9 0 >> 4 3 0
/ : B 9 > 0, 8 0 C > 4 9 : / . 4 9 : . 0 >>



Aluminium Billet Casting

>0> 343 < , 7D 4 , D, 7 8 4 8 8 , 0 4 7 B 43 , 4D: 1: A0
 ., 9 : / .0 CCC CCC CCC CCC CCC CCC >0 4> , 7 8 4 8 , 7 D - 470
 4 > 4 , ...: / , 9.0 B 43 4 0 9 , 4 9 , 7 > , 9 / , / >
 9 , // 44 9 > 0. 4 7 , 7 8 4 8 , 7 D - 470 ., 9 - 0: / 0 0 / , ...: / 42 : . > : 8 0 0 < 4 0 8 0 9 >
 770 < 4 8 0 9 > 0 > , 9 / 4 0 < 4 0 / B 43 2 , > 0 , 8 0 9 0 < 4 8 0 9
 : , . 4 0 D , . 3 4 A 0 0 9 0 2 D > , A 4 2 , 9 / 0 8 4 > 4 9 0 / . 4 9
 : / . 4 9 0 < 4 8 0 9 4 . 7 / 0 >
 7 D , : 8 , 4 7 , > : 9 4 , 7 8 4 8 : / 1 7 B / 0 0 . :
 9 7 4 0 / 0 3 D / : 2 0 9 , 4 9 - 7 , 1 4 , 4 9
 7 8 4 8 , 7 D 8 0 7 4 2 1 9 , . 0 > 0 >

□: 7 8 0				
, 9 4 D				



Extrusion Profile




: >>0>>0> 0C >4 9 0>>0>0< 4 0/ B 43 : B 0 10< 09.D., >., / 42 1 9, . 0
 : 97 40 B, 0 < 09.3 42 >D> 08 , 990, 7 42 1 9, . 0 < 09.3 42 1 9, . 0
 30, 99 , 7: 4 : 9>

: - 70 . 4 9 9/40. 0>>0>

0>> >E0 □ : 9>		
, 9 4D		

40. C >4 9 0>>0>

0>> >E0 □ : 9>									
, 9 4D									



Surface Finishing



3, >, 9 8 - 0 : 1 > 1, . 0 0, 8 0 9 : / . 4 9 7 9 0 > B 4 3 , . 0 9 , 7 > 0 B , 2 0 0, 8 0 9 > D > 0 8

3 0 : / . >, 0 4 9 7 9 0 B 4 3 4 0 9, 4 9, 7 >, 9 /, / >, 9 /

, 0 0 . : 2 9 4 0 / - D , , 9 0 > 0 , 9 / : 0, 9 . > : 8 0 >

: / . 4 9 0 < 4 8 0 9 4 0 . 7 / 0 >

9 : / 4 4 2 : / . 4 9 7 9 0



9 : / 4 4 2 . : 7 4 2 7 9 0

0 . 3, 9 4, 7, 9 / . 3 0 8 4, 7 : 7 4 3 4 2 : / . 4 9 7 9 0

: 4 : 9, 7 : B / 0 . : , 4 2 : / . 4 9 7 9 0

: 4 : 9, 7 B 0 , 4 4 2 : / . 4 9 7 9 0

□ 0 4, 7 B 0 , 4 4 2 : / . 4 9 7 9 0



Precision Machining



4.: 8 8 4 0/ : : A4 42 . >: 8 0 > B 43 : 90 >: , 7 8 4 8 : / . 4 9 > 0 A40>

A 4 D: 1, : 8 , 4 9 0 < 4 8 0 9 4 , A 4 - 7 : 8 0 0 . >: 8 0 > 0 < 4 0 8 0 9 > 1:

, 7 8 4 8 : . 0 >> 4 2 , 9 / : / . , >> 0 8 - 7

: / . 4 9 0 < 4 8 0 9 4 . 7 / 0 >

: 8 , 4 > , B 4 2 8 , . 3 4 0

7 4 1 9 . 4 9 8 4 7 4 2 8 , . 3 4 0


9 . 3 8 0 . 3 , 9 4 , 7 9 . 3

, C 4 8 , . 3 4 4 2 . 0 9 0

- 0 - 0 9 / 4 2 8 , . 3 4 0

" 0 7 / 4 2 : / . 4 9 7 4 0

0 . 4 4 9 : . 0 >> 4 2 0 < 4 8 0 9



Automotive Parts Production



0>, - 7430/ 30 : , > : / . 49 7,9 4
9: /0 : >0 A0 30, : , >. >: 8 0 >8: 0 : 10>>4 9, 7D
30 1,. : D 0110. 40D 4 708 09 > 30, : 8: 40 4/ > D
, : 8: 40 : / . < , 74D 8 , 9, 208 09 >D> 08
9/ > 47, : 8, 49, 9/ /, , A4 , 7E, 49 8 , 9, 208 09 B 47-0
4 708 09 0/ 4 30 1,. : D
3, 40 30 : / . 49 /, , 0, 7 40 /4 7,D>D> 08
B 47/: . 6 30 90B 8 , 9, 208 09 >D> 08 : 1



Quality Control



3, >, B, D>, /30 0/ : 30 4. 4 70:1< , 74D14>

3 : 23 30 0, >: 9, - 70 7, 99402 - 01: 0 : / . 49 : / . 49 : .0>>.: 9 : 7
< , 74D.: 9 : 7 : 09> 0 3, : / . < , 74D.: 9 4 0> : -0>, - 70

0> 42 0< 4 8 09 4. 7 /0>

74D.: 8 : >449> 0. 8 , 9, 70>0

4, 7 : 140 4> 0. 49 >D> 08

0.3, 94, 7 0 1: 8, 9.0 0>0

43 8 , 2944, 49

8 0 , 72 , 34 , 9, 70>4 8 4 : >.: D

, D/0 0. :

7 , >: 94 /0 0. :

/0 0. 49 0< 4 8 09

□ , 9/ . 78 , 0>8 7, 49 0>0

8 , . 0>0

: , 42 34690>>2, 20

: , 42 27 >>8 0 0






Research & Development



: 190B 8, 0 4 7, 9/ 90B 0.39: 7 2 4 > :

> : > > , 4, - 70 / 0A07 8 09





Thank you very much !